

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	23	(first WITH third WITH register) SAME segment SAME mode	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:13	
2	BRS	L2	12	1 and selector	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:14	
3	BRS	L4	0	3 and descriptor	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:09	
4	BRS	L5	0	3 and program adj counter	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:14	
5	BRS	L6	0	3 and next adj address	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:14	
6	BRS	L3	8	2 and stack	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:14	
7	BRS	L7	36	( third WITH register) SAME segment SAME mode	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:17	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	17	7 and selector	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:14	
9	BRS	L9	0	8 and program adj counter	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:14	
10	BRS	L10	0	8 and next adj address	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:14	
11	BRS	L11	10	8 and stack	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:15	
12	BRS	L12	2	11 not 3	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:15	
13	BRS	L13	11	7 and operand and instruction	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:18	
14	BRS	L14	2	13 not 8	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:18	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L15	2	14 not 12	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2004/05/26 14:19	